

AHMEDNAGAR DISTRICT CENTRAL CO-OPERATIVE BANK LTD.



**Head Office: Ahmednagar District Central Co-Op. Bank Ltd.,
42, Station Road, Ahilyanagar– 414001,
Maharashtra, India.**

RFP No.: Computer/Tender/2026-27/004

Date: 03.05.2026

**Corrigendum – 1.0
For
REQUEST FOR PROPOSAL (RFP) FOR
Purchase, Installation and Maintenance of Desktops for branches.**



Corrigendum – 1.0 For Request for Proposal (RFP) For Purchase, Installation and Maintenance of Desktops for branches.

Table of Contents

1. Modification in RFP Clause.....	3
---	----------



Corrigendum –1.0 For Request for Proposal (RFP) For Selection of Service Provider for Cyber Security Operation Center on Hybrid Model

In reference to the Request for Proposal (RFP) For Purchase, Installation and Maintenance of Desktops for branches., reference no RFP No.: Computer/Tender/2026-27/004 dated 03/05/2026, all are advised to note following:

1. Modification in RFP Clause

Sr. No	Section Number	Page Number	Point Number	Original Clause	ADCC Bank Response
1	2	5	m	If the bank wishes to procure additional hardware during the contract period, then the bidder shall provide the hardware at the rates specified in the Bill of Material.	The clause stands deleted.
2	5	9	6	The bidder should have prior experience of Supply, Installation and maintenance of IT infrastructure including minimum 500 Desktop in at least 1 DCC Bank in Maharashtra in last 5 years	Revised Clause: The bidder should have prior experience of Supply, Installation and maintenance of IT infrastructure including minimum 500 Desktop in at least 1 Bank in Maharashtra in last 5 years
3	Annexure 2: Functional Technical Requirements	-	-	Processor & Chipset: 14th Generation Minimum Core i7 or above (Min 2.4 GHz with Turbo up to 5.4 Ghz, 12 MB Cache, 20 Cores) or higher Q370 Chipset or higher	Revised Clause: 14th Generation Minimum Core i7 or above (Min 2.4 GHz with Turbo up to 5.4 Ghz, 12 MB Cache, 20 Cores) or higher 670 Chipset or higher
4	Annexure 2: Functional Technical Requirements	-	-	Display: * 19" (1900x1200), Antiglare LED Monitor. Should have display port and VGA, HDMI connector. Provision to mount the CPU behind it. Both monitor to be connected to	Revised Clause: Display: * 22" (1900x1200), Antiglare LED Monitor. Should have display port and VGA, HDMI connector. Provision to mount the CPU behind it.
5	Annexure 2: Functional Technical Requirements	-	-	Power Supply: Minimum 65W or above External Indian Power Adapter for CPU with average efficiency of 87% or more.	Revised Clause: Power Supply: Minimum 90W or above External Indian Power Adapter for CPU with average efficiency of 82% or more